





The new lightness in portable rowing.

Row on inflatable SUP boards, kayaks and rowing boards as well as on your own SUP board or boat - regardless of whether it is hard shell or inflatable.

www.rowondir.com



General product details



Rowing Skids - RowVista® and RowMotion® - are **easily hooked** into the premounted D-rings.



High-quality **carbon** and sea water resistant **aluminium**.



Foot stretcher with pivot axle: no over extension of the Achilles tendon.



Assemble in just 2 minutes, without tools, **slot and click mechanisms** only.



PU, **carbon** or **wooden** sliding seats with six ball bearings that glide smoothly and quietly along the roller rails.







High-tech forward rowing system

With RowVista®, the innovative system with integrated blade feathering, you row in the direction you are facing and avoid damaging your boat and oars.



 $\textbf{RowVista}^{\text{@}}$ flat outrigger (for MOJO 18' and DUDE 18') $\textbf{RowVista}^{\texttt{@}} \ \textbf{yoke outrigger} \ (\texttt{for AIRKAYAK 16'})$



RowVista® forward rowing oars made of carbon with integrated $\,$

blade feathering incl. bag.

Weight: RV sculls + RV rowing skid with flat outrigger - 18.6 kg RV sculls + RV rowing skid with yoke outrigger - 18.8 kg



With the RowVista® Fold Upgrade (optional) the length of Upgrade: the oars while separated is 1.13 m (44").

MOJO 18' The fast rowing board for best performance



Rowing boards / boats

Length: 5.49 m (18') | Width: 66 cm (26")

Weight: Board 11.4 kg (25.1 lbs), backpack 2.8 kg (6.2 lbs) Max. load: 200 kg (440.9 lbs) | Inflation time: under 9 minutes 4° V-Bottom for faster gliding.





Length: 4.57 m (15') | Width: 66 cm (26")

Weight: Board 9.5 kg (21 lbs), backpack 2.8 kg (6.2 lbs) Max. load: 160 kg (353 lbs) | Inflation time: under 9 minutes 4° V-Bottom for faster gliding.







Classic reverse rowing system

With RowMotion® you row in classic reverse style, just like with conventional rowing and sculling boats.



Choose between

RowMotion® flat outrigger (for MOJO 18' and DUDE 18') RowMotion® yoke outrigger (for AIRKAYAK 16')





Roller rail with sliding seat, foot stretcher and support feet incl. bag. RM rowing skid with flat outrigger - 9.6 kg RM rowing skid with yoke outrigger - 9.8 kg





2-piece RowMotion® rowing sculls made of carbon incl. bag. Weight: RM sculls - 3.2 kg





Length: 5.49 m (18') | Width: 76 cm (30")

Weight: Board 12.8 kg (28.2 lbs), backpack 2.8 kg (6.2 lbs) Max. load: 240 kg (529.1 lbs) | Inflation time: under 10 minutes 4° V-Bottom for faster gliding.



Row with the DUDE 18' alone or in company, take along a passenger or row with double sculls.





Length: 4,85 m (16') | Width: 85 cm

Weight: AIRKAYAK 20.6 kg (45.4 lbs), backpack 1.7 kg (3.7 lbs) Max. load: 250 kg (551 lbs) | Inflation time: under 5 minutes Space for up to 3 persons.



Use the AIRKAYAK 16' in three different seat positions for rowing or just for **paddling**.



VISTA



- 1. Powerful rocker arm / 2. High strength con rods with ball heads /
- 3. Positioning cam for defined blade positions / 4. Smooth running ball bearings for easy oar blade feathering / 5. Carbon fibre tubes for handle and oar blade / 6. Release leash to fold up the sculls / 7. high strength pivot rowlock



Row&Sail GmbH

Gewerbezeile 9 | 4040 Lichtenberg / Linz | Austria +43 7239 202 75 | office@rowandsail.com

www.rowandsail.com

Dealer